Prepared By: Anne Stehno Utah Fleet Operations 801-619-7242 annestehno@utah.gov

Prepared For: CLASS 0608

# 2014 Dodge Charger 4dr Sdn RWD



2014 Dodge Charger 4dr Sdn Police RWD (LDDE48)

**CLASS 0608** 

SEDAN FULLSIZE 4 DOOR STREET APP POLICE PKG

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

### **Vehicle Report: Table of Contents**

| VEHICLE INFORMATION      |   |
|--------------------------|---|
| Selected Model           | 1 |
| Selected Vehicle Colors  | 1 |
| Selected Options         | 1 |
| STANDARD EQUIPMENT       |   |
| Mechanical               | 2 |
| Exterior                 | 2 |
| Entertainment            | 2 |
| Interior                 | 3 |
| Safety                   | 4 |
| WARRANTY INFORMATION     |   |
| Warranty Information     | 5 |
| TECHNICAL SPECIFICATIONS |   |
| Vehicle                  | 6 |
| Powertrain               | 6 |
| Dimensions               | 7 |
| Chassis                  | 7 |

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

### **Vehicle Information**

## SELECTED MODEL

LDDE48 2014 Dodge Charger 4dr Sdn Police RWD

Description

#### **SELECTED VEHICLE COLORS**

#### **SELECTED OPTIONS**

Code

| Code | Description  |
|------|--|
| EZH  | ENGINE: 5.7L V8 HEMI MDS VVT, -inc: Flex fuel vehicle, 215mm Rear Axle, Performance Exhaust, Tires: P225/60R18 BSW Performance (Goodyear), Goodyear Brand Tires, GVW/Payload Rating  |
| DGJ  | TRANSMISSION: 5-SPEED AUTOMATIC (W5A580), (STD)  |
| 29A  | QUICK ORDER PACKAGE 29A, -inc: Engine: 5.7L V8 HEMI MDS VVT, Transmission: 5-Speed Automatic (W5A580), *Upon selection of this pkg, the cost of powertrain components will be added*   |
| TWW  | TIRES: P225/60R18 BSW PERFORMANCE (GOODYEAR), -inc: Goodyear Brand Tires   |
|      | STANDARD PAINT   |
| C8X9 | BLACK, HEAVY DUTY CLOTH BUCKET SEATS & REAR BENCH  |
| AEB  | STREET APPEARANCE GROUP, -inc: Front Reading/Map Lamps, Front/Rear Climate Control Outlets, Wheels: 18" x 7.5" Aluminum, Illuminated Front Cupholders, Fog Lamps, Power Heated Mirrors w/Man F/Away, Exterior Mirrors w/Heating Element, Black Grille w/Bright Surround, Floor Carpet, Rear Stabilizer Bar |
| AAJ  | CONNECTIVITY GROUP, -inc: Uconnect Voice Command w/Bluetooth, Rear View Auto Dim Mirror w/Microphone, Bluetooth Streaming Audio  |
| GUK  | POWER HEATED MIRRORS W/MAN F/AWAY, -inc: Exterior Mirrors w/Heating Element  |
| LBG  | FRONT READING/MAP LAMPS  |
| CKD  | FLOOR CARPET   |

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

### **Standard Equipment**

#### **MECHANICAL**

Engine: 3.6L V6 24V VVT

Transmission: 5-Speed Automatic (W5A580)

Transmission w/AUTOSTICK Sequential Shift Control

Rear-Wheel Drive 2.65 Axle Ratio Engine Oil Cooler

800CCA Maintenance-Free Battery w/Run Down Protection

220 Amp Alternator

Police/Fire

Gas-Pressurized Front Shock Absorbers and Air Rear Shock Absorbers

Rear Auto-Leveling Suspension

Front Anti-Roll Bar and Rear HD Anti-Roll Bar

**HD** Suspension

Electro-Hydraulic Power Assist Steering

19.5 Gal. Fuel Tank

Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher

Short And Long Arm Front Suspension w/Coil Springs

Multi-Link Rear Suspension w/Coil Springs

4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Panic Brake Assist and Hill Hold Control

#### **EXTERIOR**

Wheels: 18" x 7.5" Steel

Tires: P225/60R18 BSW Performance -inc: Firestone brand tires

Steel Spare Wheel

Compact Spare Tire Mounted Inside Under Cargo

Clearcoat Paint

Body-Colored Front Bumper Body-Colored Rear Bumper Black Side Windows Trim Body-Colored Door Handles Body Color Exterior Mirrors

Power Side Mirrors w/Manual Folding

Fixed Rear Window w/Defroster

**Light Tinted Glass** 

Speed Sensitive Variable Intermittent Wipers

Galvanized Steel/Aluminum Panels

Black Grille

Trunk Rear Cargo Access

Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off

Perimeter/Approach Lights

LED Brakelights

Laminated Glass

High Speed Engine Controller

#### **ENTERTAINMENT**



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Radio: Uconnect 4.3 AM/FM/CD/MP3

Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls and

**External Memory Control** 

6 Speakers

Window Grid Antenna

1 LCD Monitor In The Front

#### **INTERIOR**

Cloth Bucket Front Seats

6-Way Power Driver Seat

4-Way Passenger Seat

Bench Front Facing Cloth Rear Seat

Manual Tilt Steering Column

Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer

Power Rear Windows

Leather/Metal-Look Steering Wheel

Front Cupholder

Rear Cupholder

Keyless Go -inc: 4 fobs

Valet Function

Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button

Remote Releases -Inc: Power Trunk/Hatch and Power Fuel

Cruise Control w/Steering Wheel Controls **Dual Zone Front Manual Air Conditioning** 

HVAC -inc: Underseat Ducts Illuminated Locking Glove Box

**Driver Foot Rest** 

Interior Trim -inc: Chrome Interior Accents

Full Cloth Headliner Vinyl Door Trim Insert Urethane Gear Shift Knob **Day-Night Rearview Mirror** 

Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination and Driver And Passenger Auxiliary Mirror

Partial Floor Console, Mini Overhead Console w/Storage and 2 12V DC Power Outlets

Regular Dome Lighting

Full Vinyl/Rubber Floor Covering

Carpet Floor Trim

Underhood And Cargo Space Lights

FOB Controls -inc: Trunk/Hatch/Tailgate

Instrument Panel Bin and Driver / Passenger And Rear Door Bins Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down

**Delayed Accessory Power** 

Power Door Locks w/Autolock Feature

Systems Monitor

Redundant Digital Speedometer

**Trip Computer** 

Outside Temp Gauge

Analog Display

Manual Type Adjustable Front Head Restraints and Fixed Rear Head Restraints

Sentry Key Engine Immobilizer





Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

#### SAFETY

Electronic Stability Control (ESC)

**ABS And Driveline Traction Control** 

Side Impact Beams

Dual Stage Driver And Passenger Seat-Mounted Side Airbags

Tire Specific Low Tire Pressure Warning

Dual Stage Driver And Passenger Front Airbags

Curtain 1st And 2nd Row Airbags

Airbag Occupancy Sensor

**Driver Knee Airbag** 

Rear Child Safety Locks

Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

## **Warranty Information**

| Basic |                       |
|-------|-----------------------|
|       | 3 Years/36,000 Miles  |
| Drive | train:                |
|       | 5 Years/100,000 Miles |
| Corro | osion:                |
|       | 5 Years/100,000 Miles |
| Road  | Iside Assistance:     |
|       | 5 Years/100,000 Miles |



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

**Technical Specifications** 

| Emissions  |  |                      |  |
|------------|--|----------------------|--|
|            | Tons/yr of CO2 Emissions @ 15K mi/year | 10.2 (Est)           |  |
|            | EPA Greenhouse Gas Score               | N/A                  |  |
| Vehicle    |  |                      |  |
|            | EPA Classification                     | Large Cars           |  |
| POWERTR    | AIN                                    |                      |  |
| Transmissi | on                                     |                      |  |
|            | Drivetrain                             | Rear Wheel Drive     |  |
|            | Trans Order Code                       | DGJ                  |  |
|            | Trans Type                             | 5                    |  |
|            | Trans Description Cont.                | Automatic w/OD       |  |
|            | Trans Description Cont. Again          |                      |  |
|            | First Gear Ratio (:1)                  | 3.59                 |  |
|            | Second Gear Ratio (:1)                 | 2.19                 |  |
|            | Third Gear Ratio (:1)                  | 1.41                 |  |
|            | Fourth Gear Ratio (:1)                 | 1.00                 |  |
|            | Fifth Gear Ratio (:1)                  | 0.83                 |  |
|            | Reverse Ratio (:1)                     | 3.16                 |  |
|            | Clutch Size                            | N/A in               |  |
|            | Final Drive Axle Ratio (:1)            | 2.65                 |  |
| Mileage    |  |                      |  |
|            | EPA Fuel Economy Est - Hwy             | 25 (Est) MPG         |  |
|            | Cruising Range - City                  | 292.50 mi            |  |
|            | EPA Fuel Economy Est - City            | 15 (Est) MPG         |  |
|            | Fuel Economy Est-Combined              | 18 (Est) MPG         |  |
|            | Cruising Range - Hwy                   | 487.50 mi            |  |
|            | EPA MPG Equivalent - City              | N/A                  |  |
|            | EPA MPG Equivalent - Hwy               | N/A                  |  |
|            | EPA MPG Equivalent - Combined          | N/A                  |  |
|            | Battery Range                          | N/A mi               |  |
| Engine     |  |                      |  |
|            | Engine Order Code                      | EZH                  |  |
|            | Engine Type                            | Regular Unleaded V-8 |  |
|            | Displacement                           | 5.7 L/345            |  |
|            | Fuel System                            | Sequential MPI       |  |
|            | SAE Net Horsepower @ RPM               | 370 @ 5250           |  |
|            | SAE Net Torque @ RPM                   | 395 @ 4200           |  |
| Electrical |  |                      |  |
|            | Cold Cranking Amps @ 0° F (Primary)    | 800                  |  |
|            | Maximum Alternator Capacity (amps)     | 220                  |  |



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

#### **Cooling System**

| Cooling    | Total Cooling System Capacity                                     | N/A qts            |
|------------|---|--------------------|
| DIMENS     | • • • •   | IVA YIS            |
| DIMENSI    |   |                    |
| Interior D | Dimensions  |                    |
|            | Passenger Capacity  | 5                  |
|            | Passenger Volume  | 104.7 ft³          |
|            | Front Head Room   | 38.6 in            |
|            | Front Leg Room  | 41.8 in            |
|            | Front Shoulder Room   | 59.5 in            |
|            | Front Hip Room  | 56.2 in            |
|            | Second Head Room  | 36.6 in            |
|            | Second Leg Room   | 40.1 in            |
|            | Second Shoulder Room  | 57.9 in            |
|            | Second Hip Room   | 56.1 in            |
| Exterior   | Dimensions  |                    |
|            | Wheelbase   | 120.2 in           |
|            | Length, Overall   | 199.9 in           |
|            | Width, Max w/o mirrors  | 75 in              |
|            | Height, Overall   | 58.4 in            |
|            | Track Width, Front  | 63.4 in            |
|            | Track Width, Rear   | 63.8 in            |
|            | Min Ground Clearance  | 5.1 in             |
|            | Liftover Height   | N/A in             |
| Cargo Aı   | rea Dimensions  |                    |
|            | Trunk Volume  | 16.5 ft³           |
| CHASSIS    | 8   |                    |
| Weight I   | nformation  |                    |
|            | Base Curb Weight  | 4271 lbs           |
| Trailering | -   |                    |
|            | Dead Weight Hitch - Max Trailer Wt.                               | 1000 lbs           |
|            | Dead Weight Hitch - Max Tongue Wt.                                | 100 lbs            |
|            | Wt Distributing Hitch - Max Trailer Wt.                           | 1000 lbs           |
|            | Wt Distributing Hitch - Max Tongue Wt.                            | 150 lbs            |
| Suspens    |   |                    |
|            | Suspension Type - Front   | Short And Long Arm |
|            | Suspension Type - Rear  | Multi-Link         |
|            | Suspension Type - Front (Cont.)                                   | N/A                |
|            | Suspension Type - Rear (Cont.)                                    | N/A                |
|            | Shock Absorber Diameter - Front                                   | N/A mm             |
|            |   |                    |
|            | Shock Absorber Diameter - Rear                                    | N/A mm             |
|            | Shock Absorber Diameter - Rear<br>Stabilizer Bar Diameter - Front | N/A mm<br>N/A in   |



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

| Tires     |                                    |             |
|-----------|------------------------------------|-------------|
|           | Front Tire Order Code              | TWW         |
|           | Rear Tire Order Code               | TWW         |
|           | Spare Tire Order Code              |             |
|           | Front Tire Size                    | P225/60R18  |
|           | Rear Tire Size                     | P225/60R18  |
|           | Spare Tire Size                    | Compact     |
| Wheels    |                                    |             |
|           | Front Wheel Size                   | 18 X 7.5 in |
|           | Rear Wheel Size                    | 18 X 7.5 in |
|           | Spare Wheel Size                   | Compact in  |
|           | Front Wheel Material               | Aluminum    |
|           | Rear Wheel Material                | Aluminum    |
|           | Spare Wheel Material               | Aluminum    |
| Steering  |                                    |             |
|           | Steering Type                      | Rack-Pinion |
|           | Steering Ratio (:1), Overall       | N/A         |
|           | Lock to Lock Turns (Steering)      | N/A         |
|           | Turning Diameter - Curb to Curb    | 37.7 ft     |
|           | Turning Diameter - Wall to Wall    | N/A ft      |
| Brakes    |                                    |             |
|           | Brake Type                         | N/A         |
|           | Brake ABS System                   | 4-Wheel     |
|           | Brake ABS System (Second Line)     | N/A         |
|           | Disc - Front (Yes or )             | Yes         |
|           | Disc - Rear (Yes or )              | Yes         |
|           | Front Brake Rotor Diam x Thickness | 13.6 in     |
|           | Rear Brake Rotor Diam x Thickness  | 13.8 in     |
|           | Drum - Rear (Yes or )              |             |
|           | Rear Drum Diam x Width             |             |
| Fuel Tank |                                    |             |
|           | Fuel Tank Capacity, Approx         | 19.5 gal    |
|           | Aux Fuel Tank Capacity, Approx     | N/A gal     |
|           |                                    |             |

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.